General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)

AN ELPERIMENTAL (NASA-CR-169019) INVESTIGATION OF 235 SUB UF SUB 6 FISSICN PRODUCED PLASMAS Final Technical Report, 1 Jul. 1978 - 31 Dec. 1981 (Illinois Univ.) Unclas CSCL 201 G3/75 28 p HC A03/MF A01 28096

Final Technical Report

NASA Grant NSG-1547

An Experimental Investigation of ²³⁵UF₆ Fission Produced Plasmas

prepared by

Principal Investigator

Fusion Studies Laboratory University of Illinois 214 Nuclear Engineering Laboratory

103 S. Goodwin Avenue Urbana, Illinois 61801

(217) 333-3772

Period of Contract: 1 July 1978 - 31 December 1981

The Board of Trustees of the University of Illinois Grants & Contracts Office 105 Davenport House 809 S. Wright Street Champaign, Illinois 61820

<u>Abstract</u>

A gas handling system capable of use with UF $_6$ was designed and constructed for use with nuclear pumped laser experiments with the University of Illinois TRIGA research reactor. By employing careful design and temperature controls, the UF $_6$ can be first transported into the irradiation chamber and then, at the conclusion of the experiment, returned to gas cylinders.

Table of Contents

																											Page
I,	Introdu	action		•	٠	•				•		•	•		•			•	•	•	•	٠	•			٠	1
II.	System	Design	٠.	•	•	•	•	٠	•	•	٠	•	•	•	•	•	٠	٠	•	•	•	•	•	,	•	٠	6
Refe	rences.			•		•	•	•	•	•	•	٠	•		•		•	٠	•	•	•	•	•	٠		•	23
Appe	ndix A:	Opera Handl	tir ing	g S	Pr ys	oc tei	ed: ns	ur.	es •	f	or •	UI •	6	a1	nd	Ga •	ıs •	•	•		•			•	•	•	24
Appei	ndix B:	Pub1 i	cat	io	ns	I	SSI	ue	d l	Jno	dei	r (Coi	nti	rac	ct										٠	26

An Experimental Investigation of ²³⁵UF₆ Fission Produced Plasmas

I. Introduction

Considerable interest exists in pumping nuclear-pumped lasers (NPLs) with the energetic fragments produced by fission of 235 U distributed throughout the laser gas as UF $_6$ vapor[1,2]. The quenching effect of UF $_6$ on gas lasers is unknown but is expected to be considerable. However, UF $_6$ mixtures can be used as a nuclear "flash lamp" to produce radiation for pumping a second laser mixture, and due to the high efficiency anticipated with this approach, it appears quite attractive.

The main objective of the present project was to design and construct a UF $_6$ handling system that could be used in conjunction with the existing NPL Group vacuum system at the Nuclear Reactor Laboratory to perform NPL experiments utilizing UF $_6$. A secondary objective was to separate the gas fill system from the vacuum system and thus greatly reduce its volume, i.e., reduce the volume of expensive, ultra-pure rare gases (e.g., Xenon) needed in some NPL experiments.

Figure 1 is a phase diagram for UF $_6$. As can be seen, UF $_6$ is a solid at room temperature. Additionally UF $_6$ contains copious amounts of F which is very corrosive. Finally, U (esp. 235 U) possession and usage is regulated by the NRC. For these reasons UF $_6$ presents special problems for the gas laser experimentalist.

Our usual gas handling method involves connecting high pressure bottles of the gases of interest to a manifold, through copper lines, and then through another copper, brass, or SS line to the laser, which is also connected to a vacuum system. The laser, manifold, and copper lines are pumped down to the

residual gas pressure desired, then the desired amounts of laser and buffer gases are added. This method is not satisfactory for UF₆, obviously, since it is a solid at pressures above a couple hundred torr (at room temperature) and very corrosive.

Mercury and other metal vapor lasers face a somewhat similar problem. However, there are major differences. Nuclear-pumped lasers at the TRIGA reactor are >.4 m from any possible location for an oven vapor source and the vapor densities required are much greater, 10 - 100 torr vs. m torr. For Hg lasers, the oven problem was solved by putting small amounts of Hg in reservoirs within the laser envelope and the laser, which must be heated anyway, became the oven. This is unsatisfactory for UF $_6$ because the excess UF $_6$ would still react with neutrons if enriched. Also, the UF $_6$ could be cracked, producing UF $_{\rm X}({\rm x}{<}6)$ solids, or react with the fluorine bearing laser gases, contaminating all of the UF $_6$ in the laser. Only the precise amount of UF $_6$ required as vapor may be present in the laser at any given time. Therefore, in addition to heating and temperature control of the laser cell, a method is required to transport the UF $_6$ vapor over a distance of several meters from the UF $_6$ vapor source to the laser cell.

The method that we selected for UF₆ transport relies on the vapor pressure-temperature relationship shown in Figure 1. By imposing a temperature differential one also imposes a pressure differential causing the UF₆ vapor to be transported from the region of higher temperature and thus pressure to the region of lower temperature.[3] Such a transport system is practical only for a material which goes from solid to vapor (and back) with the attendant large changes in

ORIGINAL PAGE 13 OF POOR QUALITY




Figure 1 State Diagram for UF_6

specific volume. Thus the laser gases must be transported by the usual methods: filling the laser cell from a high pressure reservoir and evacuating the laser cell with a vacuum pump to the atmosphere. Since the UF $_6$ is to be returned to a spent UF $_6$ cylinder, rather than vented to the atmosphere, and because it would most likely badly mess up the vacuum system, the UF $_6$ must be separated from the laser gases.

Table 1 compares the boiling or sublimination temperatures for the laser gases of interest with that of ${\rm UF}_6$ and ${\rm CO}_2$. It can be seen that a dry ice trap can be used to separate ${\rm UF}_6$ from XeF* laser gases. (But not from any byproduct HF that is formed. This can be removed in a separate operation at room temperature.)

Table I

Boiling or Sublimation Temperatures of Interest at 1 Atm.

Substance	Temp (K)
N ₂	77
Ar	84
F ₂	85
NF ₃	144
Xe	166
co ₂	195
111-	293
uf ₆	329

Figure 2 is a block diagram of the gas and UF_6 handling systems. The arrows indicate flow direction. A typical experiment is run as follows (a detailed operating procedure is given in Appendix A):

- (1) the laser cell is evacuated to the desired residual gas pressure (determined by allowed impurity concentration,
- (2) the laser is filled with the desired mixture of laser gases and ${\rm UF}_6$,
 - (3) the reactor is pulsed and data taken,
- (4) the "used" UF_6 is returned to the UF_6 supply system and the contaminated (with chemical reaction products) laser gas exhausted.
- (5) If it is desired to change the laser gas mixture for the next pulse, the gas fill line and manifold are evacuated.




Figure 2 Block Diagram of Apparatus for UF₆-NPL Experiments

II. System Design

The re-design of the gas fill system was basically trivial. The modified system design is shown in Figure 3. The modification involves the addition of the components to the left of the dotted line. A new valve is connected to the existing gas fill manifold. From this valve the laser gasses pass through a dry ice trap and a long, small diameter ($1/8" \rightarrow 1/4"$ OD) SS tube to the laser cell.

The UF₆ Supply System design problem was somewhat more demanding. It is divided into two parts. The first part was the design of the vacuum envelope, which assumes the presence of a temperature control system; the second part was the design of the temperature control system.

II.A. Vacuum Envelope

Figure 4 is a schematic of the vacuum envelope of the ${\rm UF}_6$ supply system. In this section, the details of the vacuum envelope will be considered. In the next section we will consider temperature control, shown cross-hatched in Figure 4.

Laser Cell

The most critical part of the vacuum envelope design is the laser cell where the actual experiment takes place and which is exposed to nuclear radiation. The interna distails of the laser cell are set by laser physics considerations and will be discussed here only as they effect the vacuum envelope. One of these considerations is that, in addition to being compatible with fluorine compounds (NF3, UF6) and neutron radiation, to permit the inclusion of electrical pumping the laser cell materials must be insulators. Teflon (TFE) and polyvinyl chloride (PVC) were identified as suitable materials. As designed the cell uses PVC for tubing and TFE for parts machined from rod because they are most available in these forms. "Torrseal" low vapor pressure epoxy is used for attaching the PVC to the TFE. Fused silica, which maintains

Original pace is of poor quality

FSL-78-290




Figure 3 Gas Fill System




Figure 4 UF₆ Handling System Schematic

its >99% transmisivity under irradtion (because of its high purity) is used for windows, and viton is utilized for the gaskets. Figure 5 shows various views of the laser cell. A prototype cell has been constructed using acrylic in place of TFE.

Transfer Line

For a very long vacuum line (such as is required at the TRIGA) the ultimate pressure obtained at the end of the vacuum line (i.e. the laser cell) is dependent on the inverse of the cube of the diameter of the vacuum line $\left(\propto \frac{1}{d^3} \right)$ and independent of the pump capabity (unless the pumping speed is very low).[4] Thus it is desirable to make the effective diameter of the vacuum line as large as possible. However, limited space in the throughport makes a very large diameter line into the laser cell impossible. The diameter of the throughport is 6". A 1" ID cylindrical volume, concentric with the centerline of the throughport, is reserved for the output from the laser cell. Thus a 2 1/2" thick annular cross-sectional area is available for the laser cell envelope and the hardware for connecting the laser cell to the gas fill, vacuum, and UF_6 handling systems. As shown in Figure 6, the largest diameter circular cross-section transfer line that can be accompodated is 1"-1 1/4." Any geometry other than circular would probably be too expensive to fabricate and would not have a much more favorable surface area to volume ratio. The vacuum line currently used is 1" in dia. and residual gas concentrations have been found to be satisfactory.

The transfer line vacuum envelope was constructed of SS tube because of its availability (relative to Aluminum and Monel).




Figure 5 Nuclear and Electrical Pumped "Hybrid Laser Cell for UF₆-NPL Experiments

ORIGINAL PACE IO OF POOR QUALITY




Figure 6 Diagram of Laser Carriage for TRIGA Reactor Thru-port with Maximum Diameter Transfer Lines Indicated (Full Scale)

UF SUPPLY

As can be seen from Figure 1, any reasonable Δp desired can be achieved (by heating) for transporting UF₆ to the laser cell. This is not true for the reverse process. Also only a small fraction of the UF₆ contained in the supply cylinder must be transported to the laser cell. However, we wish to return essentially all of the UF₆ from the cell to the gas cylinder. It was not obvious initially that cryopumping the UF₆ would work or what size to make the system; but these problems were worked out as described below.

Reference 3 used four 1-L monel cylinders. The only "cryopumping rate" that they report is the return of $20(\pm .5)$ g of $25(\pm .5)$ g of UF_G in one hour. However, their "canister" is 85L in volume vs. 1/2 L for our laser cell (~2 1/2 L for the transfer line) and the most UF_G anticipated to be in the laser cell at one time is ~1 g. Thus, our pumpdown rate should be somewhat better.

The maximum cryopumping speed can be estimated by assuming that all ${\rm UF}_6$ molecules impinging on the cold ${\rm UF}_6$ in the return cylinder are trapped. The impingement rate is given by [4]

$$\gamma = \frac{1}{4} \, \text{nv} = 3.5 \times 10^{22} \, \frac{\text{p}}{\text{MT}} \, .$$
 (1)

The inside diameter of the cylinder can be taken as 6 cm. Thus, the pumping speed of the cylinder can be calculated from[4]

$$S_{\text{max}} = \frac{Q}{P} = \frac{\gamma \cdot A \cdot kT}{P} = 3.6 \sqrt{\frac{T}{M}} \cdot A.$$
 (2)

Substituting the M value for ${\rm UF_6}$, ${\rm 350^0K}$, and the area corresponding to a 6 cm diameter gives

$$S_{max} \approx 100 \text{ l/s}$$
.

This is a pumping speed comparable to a small diffusion pump.

Estimation of the pumpdown time to a given ${\sf UF}_6$ density (or partial pressure) is more difficult because it requires knowledge of the surface properties of the various materials involved for ${\sf UF}_6$. However, several simplified approximations can be made.

The crudest approximation is to neglect surface effects (and the finite conductance of the transfer line) altogether. Thus we are essentially considering a 3L volume with an $\sim 30^2$ cyropumping area. From reference 4,

$$\frac{dN_{UF_{6}}}{dt} = -\gamma A = -\sqrt{\frac{8kT}{\pi IM_{UF_{6}}}} \frac{\dot{N}_{UF_{6}}}{V_{system}} \cdot A_{cy1}$$
(3)

or

$$\frac{dN_{UF_6}}{N_{UF_6}} = -\sqrt{\frac{kN_A}{2\pi}} \sqrt{\frac{T}{M_{UF_6}}} \sqrt{\frac{A_{CY1}}{V_{\text{system}}}} dt = -36.4 \sqrt{\frac{T}{M_{UF_6}}} dt . \tag{4}$$

For T = 350K,

$$\frac{dN_{UF_{6}}}{N_{UF_{6}}} = -36.4 \text{ dt}$$

so that

$$\frac{N_{\text{UF}_6}}{N_{\text{UF}_6}(0)} = e^{-36.4t} . \qquad \qquad \begin{array}{c} \text{ORIGINAL PACE 10} \\ \text{OF POOR QUALITY} \end{array}$$
 (5)

For $\frac{N}{N_0} = 10^{-8}$, t is about .5 sec.

While this result is very crude, pumpdown times more than three orders of magnitude greater would be acceptable.

Another crude approximation is to treat the system as a normal vacuum system made of materials with high outgassing rates.

Taking $S_{eff} \approx S_{th} = S_{max}$, assuming that $\frac{S_{max}}{L} << |_e$ and molecular flow regime, and neglecting p_{ult} ; the pumpdown time is given by [4]

$$t = \frac{V}{S_{\text{max}}} \ln \left\{ \frac{p_1 - \frac{Q_{\mathcal{G}}}{S_{\text{max}}}}{p_f - \frac{Q_{\mathcal{G}}}{S_{\text{max}}}} \right\}$$
 (6)

It has previously been determined that V is ~3 ℓ and S_{max} is ~100 ℓ /s. $Q_g = q_g A_{system}$ and q_g can be approximated by taking a high value of 10^{-5} (torr-liter)/(S-cm²)[4]. Then

$$Q_g = 10^{-5} \frac{\text{torr-liter}}{\text{sec-cm}^2} \cdot 4 \times 10^3 \text{ cm}^2 = 4 \times 10^{-2} \frac{\text{torr-liter}}{\text{sec}}$$
.

This says that the lowest attainable pressure is

$$P_{\text{lowest}} = \frac{Q_{\text{g}}}{S_{\text{max}}} = \frac{4 \times 10^{-2}}{100} \frac{\frac{\text{torr-liter}}{\text{sec}}}{\text{liter/sec}} = 4 \times 10^{-4} \text{ torr.}$$

An infinite amount of time would be required to achieve this pressure. Using equation (6), the time to pump down from 100 torr to 5×10^{-4} torr would be

$$t = \frac{3 \ell}{100 \ell/s} \ell n = \frac{100}{5 \times 10^{-4} - 4 \times 10^{-4}} \sim .4 \text{ sec}$$
.

Again it appears that pumpdown times will be very satisfactory. And, while a UF $_6$ pressure of ~5 x 10^{-4} torr is not ideal, it represents about 10 μg for our system volume -- a negligible amount, even for NPLs or the NRC.

The result of these crude calculations and the comparison to reference 3 is that it appears that cryopumping using a single 1-L UF $_6$ cylinder wall satisfy the needs of the experiment quite well. Indeed, this has been found to be the case.

II.B. Temperature Control

Since the UF $_6$ transfer system utilizes a vapor pressure pumping scheme (the return portion of the cycle being the well known cryopumping process), accurate control of temperature is important. Additionally, uniformity of temperature is important since having the temperature drop below the subliminating temperature at any point would result in the deposition of UF $_6$ at that point. This is of special concern for the sealing surface of the valves.

We have designed a temperature control system that attempts to provide maximum performance at minimum cost. Factors included in performance include accuracy of temperature control at a point, uniformity of temperatures, flexibility, and minimum of manual intervention. The temperature control system can be divided into two basic subgroups:

- (1) Heating and cooling
- (2) Temperature sensing and control electronics
- Heating and Cooling

Four different types of hardware must be heated. These are: (a) the laser cell, (b) the transfer line, (c) the UF_6 cylinders, and (d) valves.

(a) Laser Cell Heating and Insulation

The laser cell, Figure 5, it is not very conductive to the 'use of heater tapes since they would have to be applied to the outside of the capacitor. The capacitor and the "air" gap between the capacitor and the laser cell provide a considerable thermal resistance. As will be explained in the temperature sensing section, thermistors are the desired method of temperature sensing. However, the lifetime of thermistors in the severe radiation environment of the reactor is unknown and probably very short. Both of these problems can be solved by the use of flowing hot nitrogen

- heating. The hot nitrogen can fill the gap between the capacitor and the laser cell and by flowing it, temperature sensing can be moved outside the reactor. Nitrogen is chosen over air because it is not reactive with UF_6 or any of the laser gases. By maintaining an N_2 pressure higher than the pressure in the laser, any leakage will be of N_2 into the laser.
- (b) The transfer line could be heated by either the hot N₂ used for the laser cell or by heater tapes as with the valves. Both methods have advantages. Heater tapes are very easy to install, one simply wraps them around the transfer lines, and occupy a minimum volume (if no further insulation is used), which can enable the maximization of the cross-sectional area of the transfer line (the importance of which was discussed earlier). On the other hand, with heater tapes, one controls the heating rate rather than the temperature so one must accurately measure the temperature. However since one end of the transfer line is in a high radiation environment thermistors cannot be used. Thermocouples are much less accurate. Heating and temperature measurement would probably be required in a minimum of three regions, the middle and the two ends, making the control problem slightly more complex than it could be. Similarly, six pairs of wires would be required.

Since hot N_2 is already required for the laser cell, no additional hardware is required for its use with the transfer line other than the co-axial envelope around the transfer line required to contain the temperature can be maintained more accurately and uniformly than with heater tapes. The two disadvantages are 1) that any co-axial flow design will be bulkier than heater tapes without insulation and 2) a 4-5 m co-axial flow line will be relatively complex and expensive to build.

In summary, a heater tape system is simpler to construct but more complicated to operate and allows a greater conductance (and thus vacuum system) performance) but gives poorer temperature control performance than a co-axial flow system. Figure 7 depicts the hot N_2 approach which we have chosen.

- (c) The UF $_6$ cylinders require both heating and cooling: heating for vaporizing the UF $_6$ and generating the desired pressure to transport it ~5 m to the laser cell and cooling, with liquid nitrogen, to cryopump the UF $_6$ back. In fact, for the cryopumping phase, heating and cooling are required simultaneously the inlet to the cylinder will be heated to prevent plugging. As shown in Figures 3 and 7, copper cooling coils are soldered to the bottom half of the monel UF $_6$ cylinders. For cooling, LN $_2$ is run through the copper coils. Heating is provided by a combination of heater tapes and hot N $_2$. The cylinders and valves are wrapped with heater tapes, in two regions, and inserted in an airtight, insulated enclosure connected to the hot N $_2$ flow system. Any UF $_6$ leaks flow into this enclosure.
- (d) Five valves require heating. These are the two UF₆ cylinder valves, the laser cell to transfer line valves, the transfer line to transfer line trap valve, and the transferline trap to vacuum system valve. All of these are heated using heater tapes. The heater tapes are wrapped around the valves and fiberglass insulation are warpped around the heater tapes.




Figure 7 Temperature Control System for UF_6 Handling System

2. Temperature Sensing and Control Electronics

The temperature of greatest interest is that in the laser cell. This will be measured using one or both of two methods. The preferable method depends on the effectiveness of a shielding material called flex boron which has recently come to our attention (the NPL Group) but which we have yet to test in the reactor. If effective, we are able to use it to shield a number of neutron radiation sensitive components (the unknown is the fraction of current damage caused by γ 's), including thermistors, one of which is located in a shielded portion of the laser cell. In either case, the inlet and outlet N_2 temperatures are measured using thermistors and the cell temperature inferred from these N_2 temperatures. Similar thermistors are used to measure the temperature in the UF₆ supply enclosure.

The electronics for the thermistor temperature measuring system are shown in block diagram form in Figure 8. Such systems are highly accurate even though relatively inexpensive. A similar system is used by the Combustion Engineering BoronometerTM (designed by the author). With a 10 KHz V/F and a 1 second counting time, resolution was .01°C and error was <.1°C. For this system an ~.1 second counting period is used to produce a resolution of .1°C and an error of ~.1°C. The thermistor that was used is a unique dual thermistor (manufactured by Yellow Springs Inst.) that has an output that changes linearly with temperature. A monolithic instrument amp (such as the Analog Devices 521) raises the voltage level of the thermistor output so that the maximum design temperature equals the full scale voltage of the voltage to frequency convertor (V/F), which functions as an analog to serial-digital converter. The serial-digital data is transmitted to a microcomputer where it is converted to temperature units and displayed or used for control.




Figure 8 Temperature Sensing and Control Electronics for UF Handling System

Items that will be controlled include the temperature and flow rate of the hot N_2 , the flow of the LN_2 , and the various system solenoid valves.

The solenoid valves are the easiest to control. The μ -computer address is decoded to drive a transistor which drives the solenoid directly or through a relay. The LN₂ flow is controlled in a similar manner using air pressure controlled by a solenoid to propel the LN₂. (This method is used for keeping the diffusion pump cold trap filled in the vacuum system currently in use at the reactor.)

A somewhat more complex system is used to control the N_2 heater and the heater tapes. According to the heating rate desired, the μ -computer outputs an eight bit digital word, corresponding to the fraction of the 60 Hz power frequency phase required to produce that heating rate, to a latch. At the start of each 60 Hz half-cycle a counter is reset from the latch and counted down to zero at which point it produces a pulse which turns on the triac and allows power to flow in the heater circuit for the remainder of the half cycle. If the word is 0 power starts flowing immediately. If the word is 256 the triac will never turn on. Precision of control will be better than 1 part in 100.

References

- 1. F. P. Boody, et. al, "Progess in Nuclear-Pumped Lasers" in Radiation Erergy Conversion in Space, K. W. Billman, Ed., Vol. 61 of Progress in Astronautics and Aeronautics, AIAA, New York, 1978.
- 2. F. P₃₅Bcody, proposal to NASA entitled "An Experimental Investigation of Pission Nuclear-Pumped Lasers," Submitted by G. H. Miley, P.I., and funded as US NASA NSG 1547 (1978).
- 3. J. F. Jaminet and J. S. Kendall, "Circulation System for Flowing Uranium Hexafluoride Cavity Reactor Experiment," Proc. 3rd Conference on Uranium Plasmas and Applications, Princeton Univ., 10-12 June 1976, NASA.
- 4. A. J. Machiels, Lecture Material presented in course entitled "Vacuum Technology," presented at the University of Illinois, Urbana, IL 61801, June-Aug. 1978. Many of the formulas used are found in Vacuum Technology, its Foundations, Formulae and Tables, Leybold-Heraeus Vacuum Products, Inc. (1977), used as a reference for the above course.

Appendix A

Operating Procedures for UF₆ and Gas Handling Systems

for NPL-UF₆ Pumping Experiments

- A. System Preparation (1-5 performed only at the beginning of each series of experiments)
 - Open gas and UF₆ handling systems and laser cell to vacuum system, pump down and bake out (with diffusion pump).
 - 2. Valve-off diffusion pump, chill UF₆ cyl. and transfer line trap to 0° C (ice bath, after initial cooling with LN₂), fill with inert gas, and open UF₆ valves. Allow accumulated HF to be pumped out (note: forepump is exhausted through reactor stack).
 - 3. Close valve between transfer line trap and vacuum system. Chill ${\rm UF}_6$ supply cyl. with ${\rm LN}_2$ and then the heat trap with a heat gun, thereby cryopumping ${\rm UF}_6$ from trap into cylinder.
 - 4. Cool transfer line trap and gas fill line trap with dry ice.
 - 5. Close-off cylinders from transfer line and open transfer line trap vacuum system valve.
 - 6. Open diffusion pump valves and pump down system to desired background pressure.
- B. Transfer UF₆ from supply cyl. to laser cell.
 - 1. Heat supply cyl., transfer line, and laser cell to desired temps.: laser cell and transfer line to T_{subl} + 25K (for desired n_{UF_6}), supply cyl. to temp. which will provide a P_{sat} which, when expanded into laser cell, will provide the desired n_{UF_6} . Start cooling UF_6 return cyl. with LN_2 .
 - When desired temps. are achieved, close laser cell to gas fill line valve and transfer line to transfer line trap valve (thus valving UF₆ system and laser cell off from vacuum system).
 - 3. (a) Set temp. control on supply cyl. to provide temp. for sat. pressure for desired $n_{\rm HF}$, then
 - (b) open UF₆ supply cyl. valve. [Expansion of UF₆ into transfer line and laser will cool UF₆, $T=T_0 \frac{V_0}{V}$, $q=\frac{V_0}{V}$, $q=\frac{V_0}{V}$].
 - 4. Once pressures and temperatures stabilize: (a) close transfer line valve to laser, (b) start cooling supply cyl. in order to cyropump extra uncontaminated UF₆ in transfer line back into supply cyl. and, (c) start cooling transfer line trap with dry ice. While supply cyl. is cooling and pumping go on to...

- C. Fill laser cell with laser and buffer gases
 - 1. (a) Close gas fill manifold valve to vacuum system.
 - (b) For laser systems with small atom fraction constituents (.1%) also close manifold - gas fill line valve.
 - 2. (a) Add gases to manifold or gas fill line in order of increasing atom fraction (add to desired pressure times volume factor).
 - (b) If small atom fraction constituents, add these plus portion of buffer gas first to manifold only (using volume factor of manifold to manifold + fill line + laser cell) then expand into manifold plus [11] line and add remainder of buffer gas to desired pressure (taking into account volume factor).
 - 3. Open valve between gas fill line and laser cell and, as soon as pressure fluctuations subside, close valve again. [Since $\rm UF_6$ pressures will be <20% of total pressure in laser cell and since volume factors should be 2 or greater, pressure in the fill line should be 10-100 times greater than the $\rm UF_6$ pressure in the laser cell so that $\rm UF_6$ loss from the laser cell into the gas fill line should be minimal hopefully negligible.]
 - 4. After allowing time for temperatures to stabilize and for gas mixing by diffusion, the laser cell is ready for pulsing.
- D. Pulse reactor and take data (covered by separate procedure)
- E. Evacuate gases and return UF₆ to return cyl.
 - Check to see that transfer line trap is cold (dry ice cooling)
 - 2. Shut UF₆ supply cylinder valve and diffusion pump valve
 - 3. Open transfer line transfer line trap valve and pump out gases $[UF_6$ is caught in trap] to best pressure available with forepump.
 - 4. Close transfer line trap vacuum system valve and open UF_6 return cylinder valve.
 - 5. Remove cooling from transfer line trap and heat with heat gun until all ${\rm UF}_6$ and other cryopumpable residuals are returned to return cylinder.
 - Close return cylinder valve. Open vacuum system to transfer line trap and laser ce'll to gas fill valves.

System is now ready to return to A.6 and recycle.

Appendix B

Publications Issued Under Contract

- UPL-01 "Production of XeF*(B) by Nuclear Pumping"
 - (G. H. Miley, F. P. Boody, S. J. S. Nagalingam, and M. A. Prelas, Thirty-First Annual Gaseous Fleatronics Conference, BA-7, p. 32, Buffalo, NY, 17-20 October 1978)
- UPL-02 "Recent Results with the Atomic Carbon Laser @ 1.4539 m"

 (M. A. Prelas, F. P. Boody, and G. H. Miley, Thirty-First Annual Gaseous Electronics Conference, BA-8, p. 32, Buffalo, NY, 17-20 October, 1978)
- UPL-03 "Nuclear Pumped Laser Coupling to Inertial Confinement Fusion"

 (A. W. Kruger and G. H. Miley, Trans. Am. Nucl. Soc., 30, 25, 1978)
- UPL-04 "Nuclear Pumping of XeF(B), a Candidate Laser Fusion Driver"
 (G. H. Miley, S. J. S. Nagalingam, F. P. Boody, and M. A. Prelas, Trans. Am. Nucl. Soc., 30, 26, 1978)
- UPL-05 "Production of XeF(s) by Nuclear Pumping"

 (G. H. Miley, S. J. S. Nagalingam, F. P. Boody, and M. A.
 Prelas, submitted to LASERS 178, Orlando, Florida, 11-15 Dec.
 1978) (ABSTRACT)
- UPL-06 "Production of XeF(B) by Nuclear Pumping"

 (G. H. Miley, S. J. S. Nagalingam, F. P. Boody, and M. A. Prelas, Proc. International Conf. on LASERS '78, p. 5-13, 1978)
- UPL-07 "High Temperature UF $_6$ and its Decomposition at the F $_2$ Concentration"
 - (C. Park, G. Miley, and C. Choi, Trans. Am. Nucl. Soc., Atlanta, GA, June 3-8, 1979) (Not accepted)
- UPL-08 "University of Illinois Nuclear Pumped Laser Program"

 (G. H. Miley, NASA Workshop on Nuclear Pumped Lasers, NASA Langley Research Labs., Hampton, VA, July 23-24, 1979)
- UPL-09 "Nuclear Pumping Mechanisms in Atomic Carbon and in Excimers"
 (M. A. Prelas, NASA Workshop on Nuclear Pumped Lasers, NASA Langley Research Labs., Hampton, VA, July 23-24, 1979)

- UPL-10 "Buffer Effects in Nuclear Pumped XeF*(B)
 - (S. J. S. Nagalingam, F. P. Boody, and G. H. Miley, Proc. International Conference on Lasers '79, pp. 229-235 1979)
- UPL-1] "Buffer Effects in Nuclear Pumped XeF*(B)"
 - (S. J. S. Nagalingam, F. P. Boody, and G. H. Miley, Trans. Am. Nucl. Soc., 33, 81, 1979)
- UPL-12 "Studies of A-FLINT Burn Propagation at the Univ. of Illinois"

 (George H. Miley, XIII European Conference on Laser Interaction with Matter, Leipsig, GDR, 10-14 December 1979)
- UPL-13 "Hybrid Nuclear-Electrica" Laser Design and Operation"
 - (M. S. Zediker, F. P. Boody, C. A. Ottinger, and G. H. Miley, Trans. Am. Nucl. Soc., 34, 820, 1980)
- UPL-14 "Quenching Effects of UF₆ on Nuclear-Pumped Rare Gas Halide Fluorescence"
 - (F. P. Boody and G. H. Miley, 1980 IEEE International Conference on Plasma Science, paper 5010, Madison, WI, 19-21 May 1980)
- UPL-15 "Theoretical Analysis of Nuclear Pumped XeF*"
 - (S. J. S. Nagalingam and G. H. Miley, 1980 IEEE International Conference on Plasma Science, paper 5C3, Madison, WI, 19-21 May 1980)
- UPL-16 "Theoretical Analysis of Nuclear Pumped XeF*"
 - (S. J. S. Nagalingam and G. H. Miley, "Proc. International Conference on Lasers '80, pp. 699-707, 1980)